

Jira Issue in Epic 에 Sprint column 추가하기

이 문서는 Jira Issue in Epic에 Sprint column 추가하기 가이드를 공유하기 위해 작성되었다.


도구명	Jira
버전	8.22

- 초기 설정
 - 설정 확인
 - 커스텀필드 값 찾기
- 방법1. Announcement Banner 편집
- 방법2. custom Field 편집
- Script 내용
- 참고 링크

초기 설정

설정 확인

- System → Settings → HTML 허용 여부 확인



The screenshot shows the Jira Administration interface. The top navigation bar includes links for Dashboards, Projects, Issues, Boards, Plans, Tests, Create, and a search bar. On the left, there's a sidebar with various system-related options like Applications, Projects, Issues, Manage apps, User management, and Monitoring. The main content area is titled 'Administration' and has a sub-section 'General configuration'. A red box highlights the 'Settings' link under the general configuration section. Another red box highlights the 'System' link in the sidebar menu. The 'System' tab is currently selected, displaying settings for General Settings, Internationalization, and Installed languages. The URL in the address bar is 10.1.25.100:8080/secure/admin/ViewApplicationProperties.jspa.

The screenshot shows the Atlassian Jira System settings page. On the left, there's a sidebar with various system configuration options like Mail queue, Shared items, Advanced, and Quick Subtasks plugin. The main content area is titled 'Custom fields' and contains a table of custom fields. Two specific rows are highlighted with a red box: 'Enable HTML in project description' (ON) and 'Enable HTML in field descriptions and list item values' (ON). The table also lists other fields such as 'Logout confirmation', 'Comment visibility', 'Issue Picker Auto-complete', 'JQL Auto-complete', 'Allow Gravatars', 'Inline edit', 'Auto-update search results', 'Disable empty JQL queries', 'Enable extra options when exporting to CSV', 'Maximum timeout of Favorite Filters gadget', 'Display URL parameters in security dialogs', 'Enable emoji reactions', and 'Show stack trace'. At the bottom of the page, there's a footer with copyright information: 'Atlassian Jira Project Management Software (v8.22.2#822002-sha1:165c8f5) · About Jira · Report a problem. Powered by a free Atlassian Jira evaluation license. Please consider purchasing it today.' and the Atlassian logo.

커스텀필드 값 찾기

- System → Issue → Custom Fields → 해당 필드 선택(Sprint)

The screenshot shows the Atlassian Jira Administration interface under the 'Issues' tab. On the left, there's a sidebar with various administration options like Applications, Issue types, Workflows, Screens, and Custom fields (which is highlighted with a red box). The main content area is titled 'Custom fields' and shows a list of existing custom fields. One specific field, 'Sprint' (custom field ID 32), is highlighted with a red box. The table includes columns for Name, Type, Available contexts, Screens, Last value update, Issues, and Actions. Other visible fields include Account, Development, Epic Colour, Epic Link, Epic Name, Epic Status, Iteration, Original story points, Parent Link, Rank, and Sprint.

- 웹페이지의 값 customFieldId=뒤 숫자 기억

The screenshot shows the Jira Administration interface. On the left, there's a sidebar with various links like 'ISSUE TYPES', 'Custom fields' (which is currently selected), and 'FIELDS'. The main content area is titled 'Configure Custom Field: Sprint [LOCKED]'. It says 'Below are the Custom Field Configuration schemes for this custom field. Schemes are applicable for various issue types in a particular context. You can configure a custom field differently for each project context or in a global context. Moreover, project level schemes will over-ride global ones.' There's a link to 'View Custom Fields'. Below that is a section for 'Default Configuration Scheme for Sprint', which says 'Default configuration scheme generated by Jira'. It lists 'Applicable contexts for scheme: Issue type(s): Global (all issues)' and 'Default value:'. At the top of the page, the URL is 10.1.25.100:8080/secure/admin/ConfigureCustomFieldId/default.jsp?customfieldid=10101.

방법1. Announcement Banner 편집

■ System → Announcement Banner

The screenshot shows the 'System' settings page in Jira. On the left, there's a sidebar with various links like 'SECURITY', 'USER INTERFACE', 'IMPORT AND EXPORT', 'MAIL', etc. The 'Announcement banner' link is highlighted with a red box. The main content area has a large list of languages: Dutch (Netherlands), English (UK), English (United States), Estonian (Estonia), Finnish (Finland), French (France), German (Germany), Hungarian (Hungary), Icelandic (Iceland), Italian (Italy), Japanese (Japan), Korean (South Korea), Norwegian (Norway), Polish (Poland), Portuguese (Brazil), Romanian (Romania), Russian (Russia), Slovak (Slovakia), Spanish (Spain), Swedish (Sweden). Below this is a note: 'Additional language packs can be installed through the Plugins tab above. Atlassian Translations is a collaborative effort to localize Atlassian products; we welcome your contribution.' Under the 'Announcement banner' heading, there are several configuration options: 'Default language' (English (United States)), 'Default user time zone' (System default: (GMT-05:00) New York), 'Options': 'Allow users to vote on issues' (ON), 'Allow users to watch issues' (ON), 'Allow sharing filters/dashboards with anyone on the web' (OFF), 'Maximum project name size' (80), 'Maximum project key size' (10), 'Allow unassigned issues' (ON), 'External user management' (OFF), 'Logout confirmation' (Never), 'Use gzip compression' (ON), and 'User email visibility' (Public).

■ Announcement 부분에 스크립트 넣은 후 'Set Banner' 클릭

You have temporary access to administrative functions. [Drop access](#) if you no longer require it. For more information, refer to the [documentation](#).

Jira Software Dashboards ▾ Projects ▾ Issues ▾ Boards ▾ Plans ▾ Tests Create

Search Jira admin

Administration Back to project: 서비스 운영

Applications Projects Issues Manage apps User management Latest upgrade report System Structure Zephyr Scale

General configuration
Find more admin tools
Jira mobile app
SYSTEM SUPPORT
System info
Instrumentation
JMX Monitoring
Database monitoring
Integrity checker
Logging and profiling
Scheduler details
Troubleshooting and support tools
Clean up
Audit log
Clustering
SECURITY
Project roles
Global permissions
Password Policy
User sessions
Authentication methods
Administering personal access tokens
Remember my login

Edit Announcement Banner
You can set HTML text which will display as a banner at the top of all pages in Jira. This is useful for alerting users of upcoming system-wide changes.

```
<script type="text/javascript">
setInterval(function(){
  AJS.$("#issues-in-epic-table tr").each(function(){
    var row = AJS.$(this);
    var issueKey = AJS.$(this).attr("data-issuekey");
    console.log(issueKey);
    AJS.$(AJS.$(AJS.$(this).contextPath) + "/rest/api/latest/issue/" + issueKey, function(data){
      ...
    });
  });
}, 1000);

```

Visibility Level Public - Show to anyone Private - Show to logged in users only

Set Banner

■ 확인

You have temporary access to administrative functions. [Drop access](#) if you no longer require it. For more information, refer to the [documentation](#).

Jira Software Dashboards ▾ Projects ▾ Issues ▾ Boards ▾ Plans ▾ Tests Create

Search

View all issues and filters

Stop watching this issue

서비스 운영

Issues

Open issues Switch filter ▾

Order by Priority ▾

SERVICE-122 123121
SERVICE-130 123123
SERVICE-129 test
SERVICE-128 13213
SERVICE-127 123131
SERVICE-126 123131
SERVICE-125 23231
SERVICE-124 frdfsf
SERVICE-123 23123
SERVICE-117 test23
SERVICE-120 test233
SERVICE-84 123213

Description etstt
Attachments
Issue Links is blocked by SERVICE-120 test2323

Dates Created: 5 days ago 2:10 AM Updated: 21 minutes ago

Agile View on Board

Issues in epic

SERVICE-121 213123	요청 승인	SERVICE 1 스프린트 7	taskman
SERVICE-123 23123	업무 요청	SAMPLE SPRINT 2	jk park
SERVICE-124 frdfsf	업무 요청	SAMPLE SPRINT 2	jk park
SERVICE-125 23231	업무 요청	SERVICE 1 스프린트 7	jk park
SERVICE-126 1232131	업무 요청	SAMPLE SPRINT 2	jk park
SERVICE-127 123131	업무 요청	SERVICE 1 스프린트 7	jk park
SERVICE-128 13213	업무 요청	SERVICE 1 스프린트 2	jk park
SERVICE-129 test	업무 요청	업무 요청	jk park
SERVICE-130 123123	업무 요청	SERVICE 1 스프린트 7	jk park

Activity All Comments History Activity Source Builds

There are no comments yet on this issue.

Add comment

방법2. custom Field 편집

- 해당되는 에픽 이슈에 사용되는 커스텀 필드 선택

The screenshot shows the Jira Software interface with the 'Issues' tab selected in the sidebar. A modal window titled 'Edit Issue : SERVICE-122' is open. In the 'Custom Fields' section, there is a dropdown menu for '업무별' which is currently set to 'None'. The 'Assignee' field is set to 'Unassigned' and has an 'Assign to me' button. The 'Sprint' field is set to 'Jira Software sprint field'. The 'Comment' section contains a rich text editor.

■ 설정 → Issues → Custom Fields → 해당 되는 필드 편집 선택

The screenshot shows the 'Custom Fields' configuration page in Jira. A table lists various custom fields with their details. One row for '업무별' (Job Type) is highlighted with a red box around the 'Edit' button in the 'Configure' column.

설정	타입	프로젝트	스크린	날짜	수	...
담당자_선택	User Picker (single user)	1 project	1 screen	11/May/22	1	...
담당자선택	User Picker (single user)	1 project	1 screen	Never	0	...
대상채널 ①	Select List (cascading)	1 project	3 screens	11/Jul/22	4	...
대상채널 상세	Text Field (single line)	1 project	3 screens	11/Jul/22	9	...
대상플랫폼(멀티선택)	Select List (multiple choice)	1 project	3 screens	11/May/22	4	...
보안 분류	Select List (single choice)	1 project	1 screen	Never	0	...
서비스 분류 ①	Select List (cascading)	1 project	5 screens	11/May/22	2	...
서비스분류(멀티선택)	Select List (multiple choice)	1 project	1 screen	11/May/22	2	...
시스템 분류	Select List (single choice)	1 project	1 screen	Never	0	...
업무별 ①	Select List (cascading)	1 project	6 screens	11/May/22	2	...
역할	Select List (single choice)	1 project	1 screen	10/May/22		Configure
영향도	Select List (single choice)	1 project	1 screen	04/May/22		Edit
유형별	Select List (single choice)	1 project	5 screens	11/May/22		Translate
테스트 환경	Select List (single choice)	1 project	1 screen	Never		Screens
플랫폼	Checkboxes	1 project	2 screens	16/May/22	0	...
플랫폼별	Select List (single choice)	1 project	2 screens	16/May/22	20	...
해당 시스템 ①	Select List (cascading)	1 project	1 screen	10/May/22	1	...

■ Description 부분에 해당 스크립트 삽입 후 저장

You have temporary access to administrative functions. [Drop access](#) if you no longer require it. For more information, refer to the [documentation](#).

Jira Software Dashboards Projects Issues Boards Plans Tests Create

Administration Search Jira admin

Applications Projects **Issues** Manage apps User management Latest upgrade report System Structure Zephyr Scale

ISSUE TYPES

- Issue types
- Issue type schemes
- Sub-tasks

BROWSE AND EXPORT

- Archived issues

WORKFLOWS

- Workflows
- Workflow schemes
- Screens
- Screens
- Screen schemes
- Issue type screen schemes

FIELDS

- Custom fields **Custom fields**
- System fields
- Field configurations
- Field configuration schemes
- Custom fields optimizer

PRIORITIES

- Priorities
- Priority schemes

ISSUE FEATURES

Edit Custom Field Details

If the search template is changed, manual reindexing must follow

Field Name **업무 품**

Description <script type="text/javascript"></script>

```
<script type="text/javascript">
setInterval(function(){
    AJS.$('#issues-in-epic-table tr').each(function(){
        var $row = AJS.$(this);
        var row = $row[0];
        var issueKey = AJS.$(this).attr("data-issuekey");
        AJS.$.getJSON(AJS.$.contextPath() + '/rest/api/latest/issue/' + issueKey, function(data){
            var url = AJS.$('#baseUrl');
        });
    });
}, 1000);

```

A description of this particular custom field.
You can include HTML, make sure to close all your tags.

Search Template **Cascading Select Searcher**

Note that changing a custom field searcher may require a re-index.

Update Cancel

■ 확인

You have temporary access to administrative functions. [Drop access](#) if you no longer require it. For more information, refer to the [documentation](#).

Jira Software Dashboards Projects Issues Boards Plans Tests Create

View all issues and filters Stop watching this issue

Issues Switch filter

Order by Priority

SERVICE-122	123121
SERVICE-130	123123
SERVICE-129	test
SERVICE-128	13213
SERVICE-127	123131
SERVICE-126	123131
SERVICE-125	23231
SERVICE-124	frdfsf
SERVICE-123	23123
SERVICE-117	test23
SERVICE-120	test2323
SERVICE-84	123213

Description
etstst

Attachments

Issue Links
is blocked by **SERVICE-120** test2323

Issues in epic

SERVICE-121	1231231	요청 승인	SERVICE 1 스프린트 7	taskman
SERVICE-123	23123	업무 요청	SAMPLE SPRINT 2	jk park
SERVICE-124	frdfsf	업무 요청	SAMPLE SPRINT 2	jk park
SERVICE-125	23231	업무 요청	SERVICE 1 스프린트 7	jk park
SERVICE-126	1232131	업무 요청	SAMPLE SPRINT 2	jk park
SERVICE-127	123131	업무 요청	SERVICE 1 스프린트 7	jk park
SERVICE-128	13213	업무 요청	SERVICE 1 스프린트 2	jk park
SERVICE-129	test	업무 요청	업무 요청	jk park
SERVICE-130	123123	업무 요청	SERVICE 1 스프린트 7	jk park

Activity

All Comments History Activity Source Builds

There are no comments yet on this issue.

Add comment

Script 내용

- 20줄 커스텀 ID값 수정
- 스플린트 링크 추가
- 스플린트 별 색상 부여

```

<script type='text/javascript'>
function EpicAddSprint(){
    // Set
    var colorSet = new Set();
    //
    var colorlist = ["green", "#87CEEB", "#00FFFF", "#E0FFFF", "#87CEEB", "#2F4F4F", "#20B2AA", "#9ACD32",
    "#FFE4C4", "#FFF000"];
    var i = 0;
    AJS.$('#ghx-issues-in-epic-table tr').each(function(){
        var row = this;
        var issueKey = AJS.$(this).attr("data-issuekey");
        AJS.$getJSON(AJS.contextPath() + '/rest/api/latest/issue/' + issueKey, function(data){
            //
            var check = AJS.$(`#add_sprint_${i}`)[0]
            if(check == null){
                //
                var url = AJS.$('#baseURL');
                var baseurl = url.context.location.href.toString().split('/projects/', 2)[0];
                var project = (url.context.location.href.toString().split('/projects/', 2)[1]).split('/', 1)[0];
                // Sprint
                var value = data.fields.customfield_10101
                //
                if(value != null){
                    var result1 = value[0].toString().split(',name=', 2);
                    var sprint = result1[1].split('startDate', 1);
                    var sprintname = sprint.toString();
                    var rapidview = value[0].toString().split(',', 2)[1];
                    // : (td.ghx-summary), (td.issuetype), (td.status), (td.assignee), (td.issue_actions)
                    var actions = AJS.$(row).find('td.assignee');
                    AJS.$(actions).before(`<td id="add_sprint_${i}" class="nav "><span class="jira-issue-status-
lozenge aui-lozenge jira-issue-status-lozenge-color-test jira-issue-status-lozenge-done aui-lozenge-subtle jira-
issue-status-lozenge-max-width-medium"> <a href="${baseurl}/secure/RapidBoard.jspa?${rapidview}
&projectKey=${project}&view=detail">${sprintname}</a></span></td>`);
                    //
                    colorSet.add(sprintname);
                    var colorindex = [...colorSet].indexOf(sprintname)%colorSet.size;
                    //
                    AJS.$(`#add_sprint_${i} span`).css("background-color",colorlist[parseInt(colorindex)]);
                    //
                    AJS.$(`#add_sprint_${i} span`).css("padding", "5px 9px");
                    //
                    AJS.$(`#add_sprint_${i} a`).css("color", "#fff");
                } else {
                    var actions = AJS.$(row).find('td.assignee');
                    AJS.$(actions).before(`<td id="add_sprint_${i}" class="nav "><span class="jira-issue-status-
lozenge aui-lozenge jira-issue-status-lozenge-color-test jira-issue-status-lozenge-done aui-lozenge-subtle jira-
issue-status-lozenge-max-width-medium"> </span></td>`);
                    AJS.$(`#add_sprint_${i} span`).css("background-color", "#11ffee00");
                }
            }
            i += 1;
        }));
    i = 0;
    console.log("function end");
};

//Banner
//setTimeout(EpicAddSprint, 2000);
//
AJS.toInit(EpicAddSprint);

</script>

```

참고 링크

- 헉스코드 값 확인