

# Confluence - Scriptrunner 이용하여 모든 공간 특정 권한 제거하기

이 문서는 Confluence - Scriptrunner 이용하여 공간 권한 제거하기 가이드를 공유하기 위해 작성되었다.


도구명	Scriptrunner, Confluence
버전	6.10(Scriptrunner)
비고	

- [Confluence - Scriptrunner 이용하여 공간 권한 제거하기](#)
  - [Scriptrunner Console 들어가기](#)
- [참조링크](#)

## Confluence - Scriptrunner 이용하여 공간 권한 제거하기

### Scriptrunner Console 들어가기

- 톱니바퀴 → Scriptrunner → Console



- 해당 스크립트 붙여넣기

```
import com.atlassian.confluence.security.SpacePermissionManager
import com.atlassian.confluence.spaces.SpaceManager
import com.atlassian.sal.api.component.ComponentLocator
import com.atlassian.confluence.internal.security.SpacePermissionContext
import com.onresolve.scriptrunner.parameters.annotation.*
import com.onresolve.scriptrunner.parameters.annotation.meta.*
import com.onresolve.scriptrunner.parameters.*

@Select(
    label = "",
    description = " ",
    options = [
```

```

        @Option(label = " ", value = "VIEWSPACE"),
        @Option(label = " ", value = "REMOVEOWNCONTENT"),
        @Option(label = " ", value = "EDITSPACE"),
        @Option(label = " ", value = "REMOVEPAGE"),
        @Option(label = " ", value = "EDITBLOG"),
        @Option(label = " ", value = "REMOVEBLOG"),
        @Option(label = " ", value = "CREATEATTACHMENT"),
        @Option(label = " ", value = "REMOVEATTACHMENT"),
        @Option(label = " ", value = "COMMENT"),
        @Option(label = " ", value = "REMOVECOMMENT"),
        @Option(label = " /", value = "SETPAGEPERMISSIONS"),
        @Option(label = " ", value = "REMOVEDMAIL"),
        @Option(label = " ", value = "EXPORTSPACE"),
        @Option(label = " ", value = "SETSPACEPERMISSIONS"),
    ]
)
String deletePermission

@Checkbox(label = " ", description = " Run ")
Boolean checkDelete

def spacePermissionManager = ComponentLocator.getComponent(SpacePermissionManager)
def spaceManager = ComponentLocator.getComponent(SpaceManager)
SpacePermissionContext spaceContext = SpacePermissionContext.createDefault()

def spacePermissions = []
def spaces = spaceManager.getAllSpaces()
def permissionsToRemove = []

spaces.each{ space ->
    //log.warn(space.getName())
    //log.warn(space.getPermissions())
    spacePermissions = space.getPermissions()
    spacePermissions.each{ permission ->
        if (permission.getType() == deletePermission){
            //log.warn(permission.toString())
            permissionsToRemove.addAll(permission)
        }
    }
}

if(checkDelete){
    log.warn("check " + deletePermission)
    permissionsToRemove.each { permission ->
        spacePermissionManager.removePermission(permission, spaceContext)
    }
}

List<String> result = []
for(int i = 0; i < permissionsToRemove.size();i++){
    ArrayList permissons = (permissionsToRemove[i].toString()).replaceAll("\\[", "").replaceAll("]", "").split(
        ",")
    assert permissons.class == ArrayList
    String spaceid = permissons[1]
    String spaceName = spaceManager.getSpace(spaceid as Long).getName()
    log.warn(": " + spaceName)
    log.warn(" : " + deletePermission)
    String temp = ""
    temp += ": " + spaceName + " : " + deletePermission
    for(int j = 2; j < permissons.size();j++){
        if(permissons[j] != "null"){
            log.warn(": " + permissons[j].toString())
            temp += " : " + permissons[j].toString()
        }
    }
    result.add(temp)
    log.warn("=====")
}
result

```

- 제거 할 권한과 확인 체크박스 체크 시 해당 스크립트 실행  
단순 확인 할 경우 체크박스 해제

구성

환경설정

Dashboard Configuration

기본 구성

추가 환경 설정

Analytics Cockpit

백업 관리

언어

바로그기 연결

외부 가젯

전역 양식과 플루프린트

추천 업데이트 이메일

메일 서버

Database Connector Profiles

사용자 매크로

HipChat 통합

앱내 알림

스람 방식

PDF 내보내기 언어 지원

코드 매크로 설정

MultiExcerpt Admin

오리스 커넥터

Configure GoEdit

Mattermost Configuration

WebDAV 구성

Page View Configuration

Forms for Confluence

OLD STREET SOLUTIONS

Page View Tracker

Run one-off ad hoc scripts, or learn and experiment with the Confluence API.

Either enter your script directly in the **Script** field, or click the **File** tab and start typing the pathname of a file accessible to the server. The script is validated and then run on the server.

Q Looking for more information?

Check out our documentation for the Script Console. If you have a question, the Atlassian Community may also have answers for you!

권한

페이지 추가

삭제 할 권한을 선택하세요

확인

체크 후 Run 시 해당 권한이 제거

Script

The Code Editor just got smarter!

Try pressing:

Ctrl + space for completions.

Ctrl + p to show parameters in a method.

Ctrl + j to show Javadoc.

Click the ⓘ symbol to see what is available in the script binding.

Read more in our documentation.

SCRIPT

FILE

```

1 import com.atlassian.confluence.security.SpacePermissionManager
2 import com.atlassian.confluence.spaces.SpaceManager
3 import com.atlassian.sal.api.component.ComponentLocator
4 import com.atlassian.confluence.internal.security.SpacePermissionContext
5 import com.onresolve.scriptrunner.parameters.annotation.*
6 import com.onresolve.scriptrunner.parameters.annotation.meta.*
7 import com.onresolve.scriptrunner.parameters.*
8 import com.atlassian.confluence.spaces.Space
9
10
11 @Select(
12     label = "권한",
13     description = "삭제 할 권한을 선택하세요",
14     options = [
15         @option(label = "보기", value = "VIEWSPACE"),
16         @option(label = "문인의 쿼리호 삭제", value = "REMOVEINMCONTENT"),
17         @option(label = "페이지 추가", value = "EDITSPACE"),
18         @option(label = "페이지 삭제", value = "REMOVEPAGE"),

```

## 참조링크

- [library adaptavist](#)

2014 - 2023 CURVC Corp. All rights reserved