

보안메일 전송 (SMTPS) 설정하기

이 페이지는 Confluence에 보안메일 전송 방법을 정리한다.

The simplest way to set up a mail server through the Confluence Administration console. See [Configuring a Server for Outgoing Mail](#).

If you want to add different options or parameters you can also set up a mail session for the Confluence distribution. In the example below we'll set up Gmail.

To set up a mail session for the Confluence distribution:

1. Stop Confluence.
 2. Move (**don't copy**) `mail-x.x.x.jar` from `<confluence-install>\confluence\WEB-INF\lib` to `<confluence-install>\lib` (x.x.x represents the version numbers on the jar files in your installation).
- Don't leave a renamed backup of the jar files in `\confluence\WEB-INF\lib`. Even with a different file name, the files will still be loaded as long as it remains in the directory.

...

```

<Engine name="Standalone" defaultHost="localhost" debug="0">
  <Host name="localhost" debug="0" appBase="webapps" unpackWARs="true" autoDeploy="false" startStopThreads="4">
    <Context path="" docBase="..</confluence" debug="0" reloadable="false" useHttpOnly="true">
      <!-- Logging configuration for Confluence is specified in confluence/WEB-INF/classes/log4j.properties -->
      <Manager pathname="" />
      <Valve className="org.apache.catalina.valves.StuckThreadDetectionValve" threshold="60"/>

    <Resource name="mail/GmailSMTPServer"
      auth="Container"
      type="javax.mail.Session"
      mail.smtp.host="smtp.gmail.com"
      mail.smtp.port="465"
      mail.smtp.auth="true"
      mail.smtp.user="yourEmailAddress@gmail.com"
      password="yourPassword"
      mail.smtp.starttls.enable="true"
      mail.transport.protocol="smtps"
      mail.smtp.socketFactory.class="javax.net.ssl.SSLSocketFactory"
    />
  </Context>
</Host>
</Engine>
```

3. Edit the `<confluence-install>\conf\server.xml` file and add the following at the end of the Confluence `<context>` tag, just before `</Context>`.

```

<Resource name="mail/GmailSMTPServer"
  auth="Container"
  type="javax.mail.Session"
  mail.smtp.host="smtp.gmail.com"
  mail.smtp.port="465"
  mail.smtp.auth="true"
  mail.smtp.user="yourEmailAddress@gmail.com"
  password="yourPassword"
  mail.smtp.starttls.enable="true"
  mail.transport.protocol="smtps"
  mail.smtp.socketFactory.class="javax.net.ssl.SSLSocketFactory"
/>
```

Note: you're editing the `<context>` tag that contains the *Confluence* context path, not the one that contains the *Synchrony* context path.

4. Restart Confluence.
5. Go to [blocked URL](#) > General Configuration > Mail Servers.
6. Choose either [Edit an existing configuration](#), or [Add a new SMTP mail server](#).
7. Edit the server settings as necessary, and set the **JNDI Location** as:

```
java:comp/env/mail/GmailSMTPServer
```

Note that the JNDI Location is case sensitive and must match the resource name specified in `server.xml`.

8. Save your changes and send a test email.