

매크로 - 목차 매크로

이 문서는 Confluence 목차 매크로에 대한 정보를 공유하기 위해 작성되었다.

- 설명
- 파라미터
- 예시화면

설명

목차 매크로는 페이지에 적용되어 있는 스타일에 따라 목차를 삽입합니다.

파라미터

- 출력 유형 Output Type : list 혹은 flat 선택
- 섹션 번호 표시 Display Section Numbering : Section에 번호를 부여합니다.
- 목록 스타일 List Style : disc, circle, square로 입력합니다.
- 제목 들여쓰기 Heading Indent : 들여쓰기 간격을 결정합니다.
- 구분자 Separator : flat의 경우 분류자를 입력합니다.
- 최소 제목 레벨 Minimum Heading Level : 최소 heading 레벨을 결정합니다.
- 최대 제목 레벨 Maximum Heading Level : 최대 heading 레벨을 결정합니다.
- 포함하는 제목 - 설정된 경우, 정규식과 일치하지 않는 제목은 무시됩니다. 예: .*\. [1//2]
- 인쇄용 : 체크 시 인쇄 시 목차가 보입니다.
- CSS 클래스 이름 : CSS를 적용합니다.
- 절대 URL : 전체 URL로 표시합니다.

예시화면

The screenshot displays the '목차' (Table of Contents) macro configuration window in a Confluence editor. The window is titled '목차' 매크로 편집. It contains several input fields and checkboxes for configuring the macro's appearance and behavior. The 'Output Type' is set to 'list'. The 'Display Section Numbering' checkbox is checked. The 'List Style' is set to 'disc'. The 'Heading Indent' field is empty. The 'Separator' field is empty. A 'Preview' window on the right shows the resulting table of contents for the page '2. 소프트웨어 요구사항'. The preview includes sections like '정의', '주요 활동', '주요업무' (with sub-items like '요구사항 관리', '요구사항 개발', '워크플로우'), and '산출물'. The background shows the Confluence editor interface with the macro being applied to the page content.