

JIRA Software 8.12.X 릴리즈 노트

이 문서는 2020년 8월 26일 출시된 Jira Software 8.12.x 릴리즈 노트를 공유하기 위해 작성 되었다.

주요 기능

- 향상된 사용자 선택
- 고급 감사 로그에 대한 더 많은 제어
- MySQL 8.0 지원
- Jira 인덱싱에 미치는 앱의 영향 감소
- 작은 개선들

Jira Software 8.12과 호환되는 어플리케이션은 다음과 같다.

- Jira Core 8.12
- Jira Service Desk 4.12

향상된 사용자 선택

사용자 식별에 도움이 되도록 단일 사용자 선택 동작을 최적화했습니다. 이제 선택시 사용자의 전체 이름과 아바타가 표시됩니다. 이러한 커스텀 필드 사용자 선택은 Reporter 및 Assignee 와 같은 사용자 시스템 필드와 동일한 모양과 느낌을 가집니다.

Testing notes

Style ▾
B
I
U
A ▾
A ▾
🔗
🔗
🔗
🔗
🔗
🔗
🔗
🔗
🔗
🔗
🔗
🔗
🔗
🔗
🔗
🔗
🔗
🔗

If this is a code change, follow [the process](#) for testing the feature.

Visual
Text

QA Reviewer

Comment

Showing 5 of 5 matching users

-   (mgor...)
-  **Magdalena Michalak** - mmichalak@atlassian.com (mmichalak)
-   (mmichalak)
-   (mmichalak)
-   (mmichalak)

고급 감사 로그에 대한 더 많은 제어

[DATA CENTER](#)

Jira Data Center는 계속 개선되고 있습니다.

카테고리 필터

감사로그 이벤트들은 카테고리별로 분류됩니다. Jira Data Center 라이선스로 하나 이상의 카테고리로 로그를 필터링할 수 있습니다. 예를들어 보안 및 인증 이벤트만 보고싶은 경우에 특히 유용합니다.

요약 필터링

요약 필터링으로 좀 더 구체적인 결과를 얻으세요. 그룹 및 프로젝트 생성과 같은 특정 이벤트들을 확인할 수 있습니다.

로그 파일 저장 설정 변경

Jira Data Center에서는 로컬 홈 디렉토리의 감사 로그 파일에 이벤트를 기록합니다. 이 파일을 추가 레코드로 사용하고 타사 로깅 집계 도구와 통합 할 때 사용할 수 있습니다.

이전에는 저장된 로그 파일 개수가 100개로 제한되어 있었지만, 이제는 설정 변경이 가능하여 필요에 따라 더 많이 더 적게 저장할 수 있습니다. 각 파일의 최대 크기는 100MB이므로 각 노드에 디스크 공간이 충분한지 확인하세요.

The screenshot shows the Jira Administration interface. The top navigation bar includes 'Jira', 'Dashboards', 'Projects', 'Issues', 'Boards', and a 'Create' button. A search bar is on the right. Below the navigation bar, the 'Administration' section is active, with a search bar for 'Jira admin' and a 'Back to project: My project' link. The left sidebar lists various administration categories: Applications, Projects, Issues, Add-ons, User management, and System (selected). Under 'System', the 'Advanced audit log' option is highlighted. The main content area is titled 'Audit log settings' and contains the following sections:

- Audit log database retention:** A message states that only the most recent 10 million audit events are stored to minimize database impact. A 'Database retention period' is set to 20 years, with a warning to 'Keep and eye on your database size'.
- Audit log file retention:** A message states that each file has a size limit of 100 MB and a new file is created every 24 hours or when the size limit is reached. The 'Number of files stored' is set to 100 files per node, with a warning to 'Keep an eye on your disk space'.
- Coverage:** A message asks to choose which events are logged by selecting a coverage level. A link to 'Audit log events' is provided.
- Coverage area table:** A table with two columns: 'Coverage area' and 'Coverage level'. It lists several coverage areas with their corresponding levels:

Coverage area	Coverage level
Global configuration and administration Logs instance or system admin actions around instance administration or configuration such as platform changes or updates to global settings.	Base
User management Logs actions around users, groups, membership, and roles such as adding or removing users and groups.	Advanced
Permissions Logs actions around local and global permissions and configuration such as changes to anonymous access or updating group permissions.	Off
Local configuration and administration Logs admin actions around spaces, projects or repos such as creating or deleting a project or space, or updates to a repository.	Base
Security Logs user actions related to security such as authentication, granted site access, or created group.	Base
End user activity Logs user navigation and user actions on a page such as create, edit, or delete actions, executed searches, or opened pages.	Off
Apps Logs events generated by external apps.	Base

At the bottom of the settings section, there are 'Save' and 'Cancel' buttons.

새로운 이벤트

우선 순위, 보안 관리자 로그인 (websudo), 이슈 내보내기 및 OAuth 2.0 통합과 같은 새로운 이벤트를 추가하였습니다.

MySQL 8.0 지원

지원 플랫폼 목록에 다른 데이터베이스-MySQL 8.0를 추가했습니다.

Jira 인덱싱에 미치는 앱의 영향 감소

DATA CENTER

Document-Based Replication 기능은 Jira Data Center의 인덱스 시간에 대한 앱의 영향을 완화시키고 인덱스 불일치를 방지합니다. 이는 앱이 데이터를 인덱싱해야 하는 시간과 무관합니다. DBR 기능을 사용하면 Jira Data Center는 훨씬 더 수평적으로 확장 가능합니다. 따라서 클러스터에 노드가 많을수록 검색 일관성을 유지하면서 전반적인 처리량이 향상됩니다.

작은 개선들

보드에서 상태 순서

이제 보드의 열에 표시되던 상태 순서는 보드 설정에서 설정한 순서로 반영됩니다. 항상 *Choose for development*가 뒤에 남는 것이 마음에 들지 않았다면, **Board > Configure**에서 마음대로 설정하세요.

접근성 : 버튼 배경

더욱 눈에 잘 띄게 버튼에 회색 배경을 추가하는 옵션을 새로 도입했습니다. 다른 모든 설정과 마찬가지로, **Profile > Accessibility**로 이동하여 확인할 수 있습니다.